




# Coefficient of Friction Tester

## Model 32-25



Slide Angle Friction is a measurement of a sheet like substrate such as paper, corrugated, plastic film or paperboard which determines the angle of inclination at which one substrate affixed to a sled will begin to slide/slip against another substrate of a similar material.

During a test, an inclined plane is increased at a rate of  $1.5 \pm 0.5^\circ$  per second by an electric motor until the test block begins to slide. The initial movement of the sled is the Slide Angle or Coefficient of Static Friction of the material. When the test block just begins to slide a photo-optical sensor automatically stops the inclined plane and the operator can read the slide angle result.

A variety of factors can affect the Slide Angle measurements including abrasion, coatings, varnishes, printing and most importantly humidity.

### APPLICATIONS

Paper, plastic film, packaging films, paperboard, corrugated and other sheet like materials

### SPECIFICATIONS

- 0 to  $80^\circ$  angle
- Conforms to TAPPI T 815, T 548 and ASTM D 202 with optional sliding blocks

### FEATURES

- Motor-driven elevation
- Simple, low-cost measurement of static COF
- Photo sensor automatically stops the test after initial sled movement
- Measures only Slide Angle or Coefficient of Static Friction

### OTHER

- A horizontal plane method is also available to measure Static and Kinetic Coefficient of Friction
- See models 32-07, 32-71 and 32-91

### ORDERING INFORMATION

Catalog number 32-25-00 (COF Inclined Plane Tester)

Electrical: Specify voltage requirements when ordering

Sliding blocks (1 required)	Catalog number
T 503 sliding block for shipping sacks 3.5 in. x 4 in., 1260 g	32-25-02
Sliding block for fiberboard 2 in. x 4 in., 750 g	32-25-03
D 202 sliding block for electrical insulation paper; 2.5 in. x 3 in., 235 g	32-25-04
T 548 sliding block for printed paper 2.5 in. x 2.5 in., 200 g	32-25-05
Sled for COF: 1.5 in. x 3.5 in. ; 500 g	32-25-08
T 815 sliding block for fiberboard 3.5 in x 4 in., 1300 g	32-25-12
<b>Custom sliding blocks available upon request</b>	

### PHYSICAL SPECIFICATIONS

W x D x H: 560 x 130 x 280 mm (22 x 5 x 11 in.)

Weight: 7 kg (16 lb)

©2015 Testing Machines, Inc. All rights reserved. Specifications subject to change.



The TMI Group of Companies

Phone: (302) 613-5600 Fax: (302) 613-5619  
info@testingmachines.com

### Vertrieb in Deutschland durch:

Luhne Messtechnik  
Inhaber: Herr Dipl.-Ing. (FH) Stefan Luhne  
Kölnstrasse 167  
D-41199 Mönchengladbach

Telefon: +49 (0)2166 / 68 18 88  
Telefon: +49 (0)2166 / 68 18 20  
Telefax: +49 (0)2166 / 146 51 70  
Email: info@luhne-messtechnik.de  
Internet: www.luhne-messtechnik.de